



 VIDEO ENTRY SYSTEM

a:pha

Modular entry panel

IF YOU LOVE YOUR BUILDING

urmet

Born to stand out

Urmet revolutionises the world of entry panels by developing an authentic **icon of elegance**. The innovation of its design lays down new rules, paving the way to an emerging generation: **the Alpha Generation**.







Urmet presents Alpha: a line of modular entry panels for 2Voice and IPerCom systems, quick to install and easy to program.

DETAILS ON THE FOREGROUND

Its style is made up of details, that is why the Alpha entry panel has a sleek design, **without any frame or projections**: complete with flush-mounted buttons which express a minimalist sense of modernity.

Nothing is left to chance, even a functional element such as **the horizontal lighting bar** for the camera is turned into an aesthetic motif.

A twilight sensor manages the lighting system to ensure an optimal light at night.

REFINED MATCHINGS

Quality and elegance are ensured not only by shapes but also by the choice of materials and chromatic combinations. The **coated steel**, with a pleasing sand effect, joins **the methacrylate front plates** to offer visual harmony and high **resistance to UV rays** at the same time.

STRENGTH IS THE NEW BEAUTY

Aesthetics is nothing without design.

That is why Alpha's finishings have been studied in detail, from the combinations of modules to their development, ensuring **maximum resistance to external agents** such as water and dust, and to any impact.

Protection class IP66 and IK08.



Simply superior technology

Performance and simplicity are the two key words that describe the Alpha entry panels. The technological research behind every feature helps to create an iconic object; **easy to install** and program, ensuring maximum efficiency with minimum effort.





IT AMPLIFIES PERFORMANCE

Alpha technology stands out for **the high quality of sound and images**, thanks to a high-performance **wide-angle camera** compliant with European standards.

IT MAKES CONNECTION EASIER

To make configuration as easy as possible, Alpha entry panels feature **two levels** of programming: **basic and advanced**.

Basic programming

For 2Voice **single-staircase** systems with up to **2 main** and **2 secondary entry panels**: it is carried out directly on the audio or audio/video module using the on-board buttons.

Advanced programming


For all the other 2Voice system types: it is carried out by means of **smartphone/tablet/pc** with a WiFi Direct connection and without the need for any specific software; a normal browser is sufficient and **no Internet connection is required**.

IT REDUCES INSTALLATION TIME

Alpha entry panels have been designed to offer a **simple and fast** installation experience. The design allows the installer to join together modular elements in a **few steps**, minimising the use of screwdrivers and consequently the installation time.

All connections among modules are carried out by means of **supplied flat cables**, thus excluding local wirings.

Versatile and customised



MANY COLOURS AND ROWS OF BUTTONS

Alpha meets any needs in terms of **performance**, **design** and **space**, offering the maximum level of customization.

Four color options: **classic black** for those who love classic elegance, **white** for a modern and refined look, **gray** for a contemporary aesthetic, and **the new Total Black** for those who prefer a minimalist and distinctive style.

Alpha is available in **single or double-row** button versions. The double rows version allows you to add more names in the same space.

THE THINNEST ON THE MARKET, DESIGNED TO FIT EVERY BUILDING

Alpha has been designed to be displayed and admired. For this reason, once it has been installed, its projection from the wall is practically non-existent, an unmatched record among all the modular entry panels currently on the market: **only 12 mm for the flushmounting version and 29 mm for the surface wallmounting version**.




NEW

urmet

The new Total Black style


THE ANSWER TO EVERY AESTHETIC TASTE

Alpha Total Black offers an **elegant and versatile solution** for residential and commercial settings. It integrates video door entry technology with the aesthetics of contemporary buildings.



Digital call module

Alpha is also available as a digital version with **3.5" colour display** and soft touch buttons. **Completely modular**, it allows the door to be opened with a numerical code and can manage **2 entry doors/gates** (pedestrian and driveway entrance). Specific categories of users can be selected in the directory to speed up the search, e.g. lawyers, doctors or other professionals. Lastly, it features **a user code for emergency calls** which activates when several buttons are pressed at the same time.



THE DIGITAL
CALL MODULE
IS **COMPLETELY MODULAR**,
MADE UP
OF SINGLE ELEMENTS
TO CREATE **ANY**
TYPE OF COMBINATION.




Wide-angle
camera



Less installation
time

The first modular entry panel without a frame



Maximum resistance
to external agents




Programming on entry
panel or from smartphone/
tablet/PC




The thinnest on the
market in the wall surface
mounting version

Assembly in a few steps


The assembly requires minimal tools, used only for fixing the wall frame and connecting the **column** and the electric lock. All the other components of Alpha entry panels are designed for a **snap-fit assembly**, while the connections among modules are carried out using the pre-wired flat cables supplied.




Using the screw supplied with the product, fix the lower part and the module holder wall frame, on the flush-mounting box on the wall.



Then insert the various snap-fit modules on the wall frame and connect them together using the supplied flat cables.




Connect the two wires of the 2Voice riser and those of the electric lock, fixing all with the other screw on the wall frame upper side.



Complete the installation by fitting the design front plates and the upper and lower heads.



SURFACE WALL MOUNTING VERSION



When installing a **surface wall mounting entry panel**, the wall frame will be replaced by a **housing with frame**.

Steps and product item numbers remain unchanged for the next assembly phases.

Designed to be modular

CUSTOMISATION
AND VERSATILITY
ARE THE KEY FEATURES
OF ALPHA
ENTRY PANEL.

COMPOSITION

1. Define your needs and **choose** the most suitable system base **kit**.

Audio system base kit 1183/622	Audio/video system base kit 1783/724	Audio column kit 1783/748	Video column kit 1783/758
Audio/video system base kit with bluetooth relay 1783/725	Audio/video system base kit with CallMe multi- user 1783/824	Video column kit with CallMe multi-user 1783/858	

2. Insert the audio or video **front plate** with single or double buttons.

WITH SINGLE BUTTON WITH DOUBLE BUTTON




3. **Choose modules** with 4 buttons (single version) or 8 buttons (double version).




4. **Select the required button** covering front plates.

5. Add the required **accessory modules**.



6. **Choose the wall frames** or the **surface wall mounting boxes with frame** to complete the entry panel.

FOR RECESSED INSTALLATION FOR SURFACE WALL INSTALLATION



NOTE: for white and grey versions just add W or G to the code for all the front plates.

PROGRAMMING FOR 2VOICE SYSTEMS


The installation of **a single entry panel** on a single column **does not require** any programming.

Basic level

For the installation of up to **2 main** and **2 secondary entry panels**, **BASIC programming** mode is sufficient and allows for the management of 5 operating parameters.

- MAIN or SECONDARY entry panel
- entry panel ID 0 or 1
- Door opener free or upon call
- One or two active buttons on audio or audio/video module
- Exchange call button YES/NO.

Only the button on the audio or audio/video module is used for programming.



Advanced level

For all **other types** of installation or to change system parameters, **ADVANCED programming mode** is used; designed to be simple and intuitive as well.


It is activated with a **WiFi Direct connection** between the entry panel and **a smartphone, tablet or pc**, without using any additional software: **the Internet browser** already present on the device **is sufficient**. **Therefore, no Internet connection is required**.

By accessing the internal pages of the audio, audio/video or display unit (in the case of a digital call module), it is possible to:




1.

Manage system general **parameters**



2.

Enter names and door opening codes



3.

Match single buttons and apartments, without topological or installation limits



4.

Save the configuration and send it to the module. Store a **copy of the programming file** on a smartphone, tablet or pc, to be used for any future maintenance work

REFERENCES

COMMON OUTDOOR STATIONS AND BUTTON MODULES

COMMON OUTDOOR STATIONS

1083/38T

AUDIO OUTDOOR STATION, ALPHA, 2VOICE SYSTEM

The audio unit on Alpha entry panel for 2Voice system is equipped with loudspeaker and microphone. System status signalled by 3 LEDs. Local programming or from smartphone/tablet/PC. Management of 2 electric locks: pedestrian and driveway. Alpha design front panel not supplied.



1083/390

AUDIO OUTDOOR STATION, ALPHA, WITH INPUT FOR SURVEILLANCE CAMERAS, 2VOICE SYSTEM

The audio unit on Alpha entry panel for 2Voice system is equipped with loudspeaker and microphone. Dimensions: 1 Alpha module. System status signalled by 3 LEDs. Local programming or from smartphone/tablet/PC. Management of 2 electric locks: pedestrian and driveway. Alpha design front panel not supplied.



1083/48T

VIDEO OUTDOOR STATION WITH DDA, ALPHA, 2VOICE SYSTEM

The audio video unit on Alpha entry panel for 2Voice system is equipped with camera, loudspeaker and microphone. Dimensions: 1 Alpha module. System status signalled by 3 LEDs. Local programming or from smartphone/tablet/PC. Management of 2 electric locks: pedestrian and driveway. Alpha design front panel not supplied.



1060/48T

ALPHA VIDEO OUTDOOR STATION FOR IPERCOM SYSTEM

IP video/audio module dedicated to the IperCom system. Equipped with a wide-angle colour camera with area illumination and twilight sensor. System status indication via three LEDs and corresponding backlit icons. PoE power supply. Pre-wired adapter cable to RJ45 female connector supplied as standard. To be completed with designer front plate 1168/14x. It can be used in physical button entry panels or as an outdoor station for a digital call module with display and keypad.




COMMON BUTTON MODULES

1168/4

4-BUTTON MODULE, ALPHA


Alpha button module preset for 4 call buttons. Connection to audio or audio/video outdoor stations and to other button modules with flat cables supplied as standard.



1168/8

8-BUTTON MODULE, ALPHA

The Alpha button module is preset for 8 call buttons on 2 rows. Connection to audio or audio/video outdoor stations and to other button modules with flat cables supplied as standard.



REFERENCES

BLACK ENTRY PANEL

FRONT PLATES FOR BUTTON MODULES

1168/11

1-BUTTON FRONT PANEL, ALPHA, BLACK

Front panel with one call button for 1168/4 button module. Black.

Made of thermoplastic material with anti-UV treatment.



1168/12

2-BUTTON FRONT PANEL, ALPHA, BLACK

Front panel with two call buttons for 1168/4 button module. Black.

Made of thermoplastic material with anti-UV treatment.



1168/13

3-BUTTON FRONT PANEL, ALPHA, BLACK

Front panel with three call buttons for 1168/4 button module. Black.

Made of thermoplastic material with anti-UV treatment.



1168/14

4-BUTTON FRONT PANEL, ALPHA, BLACK

Front panel with four call buttons for 1168/4 button module. Black.

Made of thermoplastic material with anti-UV treatment.



1168/24

FRONT PANEL WITH 4 BUTTONS OVER 2 ROWS, ALPHA, BLACK

Front panel with 4 call buttons on two rows for 1168/8 button module. Black.

Made of thermoplastic material with anti-UV treatment.




1168/28

FRONT PANEL FOR 1168/8 BUTTON MODULE, 8 BUTTONS OVER 2 ROWS, ALPHA, BLACK

Front panel with 8 call buttons on double row (4 x 2) for 1168/8 button module. Black.

Made of thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

LOUDSPEAKING UNIT FRONT PLATES

1168/130

FRONT PANEL FOR AUDIO OUTDOOR STATION, ALPHA, BLACK

Front panel without call button for 1083/38T Alpha audio module. Black.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/131

FRONT PANEL FOR AUDIO OUTDOOR STATION, 1 BUTTON, ALPHA, BLACK

Front panel with 1 call button for 1083/38T Alpha audio module. Black.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/132

FRONT PANEL FOR AUDIO OUTDOOR STATION, 2 BUTTONS, ALPHA, BLACK

Front panel with 2 call buttons on 2 rows for 1083/38T Alpha audio module. Black.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/140

FRONT PANEL WITHOUT BUTTONS FOR VIDEO OUTDOOR STATION, ALPHA, BLACK

Front panel without call button for 1083/48T Alpha audio video module. Black. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/141

FRONT PANEL FOR VIDEO OUTDOOR STATION, 1 BUTTON, ALPHA, BLACK

Front panel with 1 call button for 1083/48T Alpha audio video module. Black. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/142

FRONT PANEL FOR VIDEO OUTDOOR STATION, 2 BUTTONS, ALPHA, BLACK

Front panel with 2 call buttons on 2 rows for 1083/48T Alpha audio video module. Black. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

TOTAL BLACK ENTRY PANEL

LOUDSPEAKING UNIT FRONT PLATES

1168/130BLK

FRONT PANEL FOR AUDIO OUTDOOR STATION, ALPHA, TOTAL BLACK

Front panel without call button for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/131BLK

FRONT PANEL FOR AUDIO OUTDOOR STATION, 1 BUTTON, ALPHA, TOTAL BLACK

Front panel with 1 call button for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/132BLK

FRONT PANEL FOR AUDIO OUTDOOR STATION, 2 BUTTONS, ALPHA, TOTAL BLACK

Front panel with 2 call buttons on 2 rows for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/140BLK

FRONT PANEL WITHOUT BUTTONS FOR VIDEO OUTDOOR STATION, ALPHA, TOTAL BLACK

Front panel without call button for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/141BLK

FRONT PANEL FOR VIDEO OUTDOOR STATION, 1 BUTTON, ALPHA, TOTAL BLACK

Front panel with 1 call button for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/142BLK

FRONT PANEL FOR VIDEO OUTDOOR STATION, 2 BUTTONS, ALPHA, TOTAL BLACK

Front panel with 2 call buttons on 2 rows for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

GREY ENTRY PANEL

FRONT PLATES FOR BUTTON MODULES

1168/11G

1-BUTTON FRONT PANEL, ALPHA, GREY

Front panel with one call button for 1168/4 button module. Grey.

Made of thermoplastic material with anti-UV treatment.



1168/12G

2-BUTTON FRONT PANEL, ALPHA, GREY

Front panel with two call buttons for 1168/4 button module. Grey.

Made of thermoplastic material with anti-UV treatment.



1168/13G

3-BUTTON FRONT PANEL, ALPHA, GREY

Front panel with three call buttons for 1168/4 button module. Grey.

Made of thermoplastic material with anti-UV treatment.



1168/14G

4-BUTTON FRONT PANEL, ALPHA, GREY

Front panel with four call buttons for 1168/4 button module. Grey.

Made of thermoplastic material with anti-UV treatment.



1168/24G

FRONT PANEL WITH 4 BUTTONS OVER 2 ROWS, ALPHA, GREY

Front panel with 4 call buttons on two rows for 1168/8 button module. Grey.

Made of thermoplastic material with anti-UV treatment.




1168/28G

FRONT PANEL FOR 1168/8 BUTTON MODULE, 8 BUTTONS OVER 2 ROWS, ALPHA, GREY

Front panel with 8 call buttons on double row (4 x 2) for 1168/8 button module. Grey.

Made of thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

LOUDSPEAKING UNIT FRONT PLATES

1168/130G

FRONT PANEL FOR AUDIO OUTDOOR STATION, ALPHA, GREY

Front panel without call button for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/131G

FRONT PANEL FOR AUDIO OUTDOOR STATION, 1 BUTTON, ALPHA, GREY

Front panel with 1 call button for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/132G

FRONT PANEL FOR AUDIO OUTDOOR STATION, 2 BUTTONS, ALPHA, GREY

Front panel with 2 call buttons on 2 rows for 1083/38T Alpha audio module. Grey.

Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/140G

FRONT PANEL WITHOUT BUTTONS FOR VIDEO OUTDOOR STATION, ALPHA, GREY

Front panel without call button for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/141G

FRONT PANEL FOR VIDEO OUTDOOR STATION, 1 BUTTON, ALPHA, GREY

Front panel with 1 call button for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/142G

FRONT PANEL FOR VIDEO OUTDOOR STATION, 2 BUTTONS, ALPHA, GREY

Front panel with 2 call buttons on 2 rows for 1083/48T Alpha audio video module. Grey. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

WHITE ENTRY PANEL

FRONT PLATES FOR BUTTON MODULES

1168/11W

1-BUTTON FRONT PANEL, ALPHA, WHITE

Front panel with one call button for 1168/4 button module. White.
Made of thermoplastic material with anti-UV treatment.



1168/12W

2-BUTTON FRONT PANEL, ALPHA, WHITE

Front panel with two call button for 1168/4 button module. White.
Made of thermoplastic material with anti-UV treatment.



1168/13W

3-BUTTON FRONT PANEL, ALPHA, WHITE

Front panel with three call button for 1168/4 button module. White.
Made of thermoplastic material with anti-UV treatment.



1168/14W

4-BUTTON FRONT PANEL, ALPHA, WHITE

Front panel with four call button for 1168/4 button module. White.
Made of thermoplastic material with anti-UV treatment.



1168/24W

FRONT PANEL WITH 4 BUTTONS OVER 2 ROWS, ALPHA, WHITE

Front panel with 4 call buttons on two rows for 1168/8 button module. White.
Made of thermoplastic material with anti-UV treatment.



1168/28W

FRONT PANEL WITH 8 BUTTONS OVER 2 ROWS, ALPHA, WHITE

Front panel with 8 call buttons on double row (4 x 2) for 1168/8 button module. White.
Made of thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

LOUDPSEAKING UNIT FRONT PLATES

1168/130W

FRONT PANEL FOR AUDIO OUTDOOR STATION, ALPHA, WHITE

Front panel without call button for 1083/38T Alpha audio module. White.
Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/131W

FRONT PANEL FOR AUDIO OUTDOOR STATION, 1 BUTTON, ALPHA, WHITE

Front panel with 1 call button for 1083/38T Alpha audio module. White.
Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/132W

FRONT PANEL FOR AUDIO OUTDOOR STATION, 2 BUTTONS, ALPHA, WHITE

Front panel with 2 call buttons on 2 rows for 1083/38T Alpha audio module. White.
Made of satin-finished steel. Button area and name tag in thermoplastic material with anti-UV treatment.



1168/140W

FRONT PANEL WITHOUT BUTTONS FOR VIDEO OUTDOOR STATION, ALPHA, WHITE

Front panel without call button for 1083/48T Alpha audio video module. White. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/141W

FRONT PANEL FOR VIDEO OUTDOOR STATION, 1 BUTTON, ALPHA, WHITE

Front panel with 1 call button for 1083/48T Alpha audio video module. White. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



1168/142W

FRONT PANEL FOR VIDEO OUTDOOR STATION, 2 BUTTONS, ALPHA, WHITE

Front panel with 2 call buttons on 2 rows for 1083/48T Alpha audio video module. White. Made of satin-finished steel with dome and button area and name tag in thermoplastic material with anti-UV treatment.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

ACCESSORY MODULES

SPECIAL MODULES AND DOOR OPENERS

1168/1

DISPLAY MODULE, ALPHA, BLACK

The Alpha module with colour 3.5" display featuring electronic directory of name list is equipped with 4 selection buttons. It is used in combination with 1168/46 numeric keypad module and audio or audio/video outdoor station to make up the digital call entry panel. Connection to the other modules with the flat cable supplied as standard.

- > 3.5" 320 x 240 pixel colour display
- > Three function buttons with RGB backlighting
- > Connection via flat cable supplied with wall frames
- > Complete with black thermoplastic front panel




1168/46

NUMERIC KEYPAD DOOR OPENING MODULE, ALPHA, BLACK

The Alpha numeric keypad module is used in combination with 1168/1 display module and audio or audio/video outdoor station to make up the digital call entry panel. Connection to the other modules with the flat cable supplied as standard.

- > Complete with screen-printed thermoplastic front panel
- > The buttons are equipped with LED for backlighting
- > Connection via flat cable supplied with wall frames




1168/49

ALPHABETIC KEYPAD DOOR OPENING MODULE, ALPHA, BLACK

The Alpha alphabetic keypad module is used in combination with 1168/1 display module, audio or audio/video outdoor station and 1168/46 numeric keypad to make up the digital call entry panel. It allows using call codes composed of numbers and letters. Connection to the other modules with the flat cable supplied as standard.

- > Complete with screen-printed thermoplastic front panel
- > The buttons are equipped with LED for backlighting
- > Connection via flat cable supplied with wall frames



1168/48

ILA MODULE FOR HEARING IMPAIRED, ALPHA, BLACK

The ILA module allows turning up the conversation volume for hearing aid wearers. It provides vocal indication of system status and current function. Black.

- > Complete with screen-printed thermoplastic black front panel
- > Backlit graphic design
- > Connection via flat cable supplied with wall frames



1168/50

BUILDING NUMBER MODULE, ALPHA, BLACK

- > Made of thermoplastic material with anti-UV treatment
- > Connection via flat cable supplied with wall frames
- > Black



1168/51

NAME LIST MODULE, ALPHA, BLACK

- > Made of thermoplastic material with anti-UV treatment
- > Connection via flat cable supplied with wall frames
- > Black



1168/59

BLIND MODULE, ALPHA, BLACK

- > Made of thermoplastic material with anti-UV treatment
- > Black



1168/45

PROXIMITY KEY READER MODULE, ALPHA, BLACK

The proximity key reader module for Alpha access control can be used in single mode as a check point for entrances by access key or inserted into a call button configuration or digital call module. Compatible with Mifare Plus keys. Black.

- > Complete with screen-printed thermoplastic black front panel
- > Backlit graphic design
- > Connection via flat cable supplied with wall frames



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

ACCESSORY MODULES

SPECIAL MODULES AND DOOR OPENERS

1168/1G

DISPLAY MODULE, ALPHA, GREY

The Alpha module with colour 3.5" display featuring electronic directory of name list is equipped with 4 selection buttons. It is used in combination with 1168/46 numeric keypad module and audio or audio/video outdoor station to make up the digital call entry panel. Connection to the other modules with the flat cable supplied as standard.

- > 3.5" 320 x 240 pixel colour display
- > Three function buttons with RGB backlighting
- > Connection via flat cable supplied with wall frames
- > Complete with grey thermoplastic front panel



1168/46G

NUMERIC KEYPAD DOOR OPENING MODULE, ALPHA, GREY

The Alpha numeric keypad module is used in combination with 1168/1 display module and audio or audio/video outdoor station to make up the digital call entry panel. Connection to the other modules with the flat cable supplied as standard.

- > Complete with screen-printed thermoplastic front panel
- > The buttons are equipped with LED for backlighting
- > Connection via flat cable supplied with wall frames



1168/49G

ALPHABETIC KEYPAD DOOR OPENING MODULE, ALPHA, GREY

The Alpha alphabetic keypad module is used in combination with 1168/1 display module, audio or audio/video outdoor station and 1168/46 numeric keypad to make up the digital call entry panel. It allows using call codes composed of numbers and letters. Connection to the other modules with the flat cable supplied as standard.

- > Complete with screen-printed thermoplastic front panel
- > The buttons are equipped with LED for backlighting
- > Connection via flat cable supplied with wall frames



1168/48G

ILA MODULE FOR HEARING IMPAIRED, ALPHA, GREY

The ILA module allows turning up the conversation volume for hearing aid wearers. It provides vocal indication of system status and current function. Grey.

- > Complete with screen-printed thermoplastic black front panel
- > Backlit graphic design
- > Connection via flat cable supplied with wall frames



1168/50G

BUILDING NUMBER MODULE, ALPHA, GREY

- > Made of thermoplastic material with anti-UV treatment
- > Connection via flat cable supplied with wall frames
- > Grey



1168/51G

NAME LIST MODULE, ALPHA, GREY

- > Made of thermoplastic material with anti-UV treatment
- > Connection via flat cable supplied with wall frames
- > Grey



1168/59G

BLIND MODULE, ALPHA, GREY

- > Made of thermoplastic material with anti-UV treatment
- > Grey



1168/45G

PROXIMITY KEY READER MODULE, ALPHA, GREY

The proximity key reader module for Alpha access control can be used in single mode as a check point for entrances by access key or inserted into a call button configuration or digital call module. Compatible with Mifare Plus keys. Grey.

- > Complete with screen-printed thermoplastic black front panel
- > Backlit graphic design
- > Connection via flat cable supplied with wall frames



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

ACCESSORY MODULES

SPECIAL MODULES AND DOOR OPENERS

1168/48W

ILA MODULE FOR HEARING IMPAIRED, ALPHA, WHITE

Same features of ref. 1168/48.



1168/50W

BUILDING NUMBER MODULE, ALPHA, WHITE


Same features of ref. 1168/50.



1168/59W

BLIND MODULE, ALPHA, WHITE

Same features of ref. 1168/59.



1168/45W

PROXIMITY KEY READER MODULE, ALPHA, WHITE

Same features of ref. 1168/45.



NOTE: Modules dimensions (H x W): 90 x 124 mm - 3.54 x 4.88 in

REFERENCES

DOOR OPENER MODULE ACCESSORIES

1125/53	10 MIFARE PLUS PROXIMITY KEYS
---------	-------------------------------



1125/53

ACCESSORIES

1168/100	PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, BLACK COLOUR
1168/101	PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, BLACK, WHITE COLOUR
1168/102	DOUBLE-BUTTON PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, BLACK COLOUR
1168/103	DOUBLE-BUTTON PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, WHITE COLOUR
1168/104G	PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, BLACK, GREY COLOUR
1168/105G	DOUBLE-BUTTON PACKAGE WITH 10 NAME TAGS AND 2 STREET NUMBER TAGS, GREY COLOUR

ACCESSORIES FOR FRAMES AND HOUSINGS

1168/401	RAIN SHIELD
1168/401BLK	RAIN SHIELD, TOTAL BLACK
1168/800	FLAT CABLES KIT
1168/801	HEADER SPARE KIT
1168/801BLK	HEADER SPARE KIT, TOTAL BLACK
1168/802	HEADER KIT FOR FRONT RELEASE
1168/802BLK	HEADER KIT FOR FRONT RELEASE, TOTAL BLACK



1168/401



1168/401BLK

WALL FLUSH-MOUNTING FRAMES AND WALL FRAMES

1168/61	1-MODULE WALL FRAME
1168/62	2-MODULE WALL FRAME
1168/63	3-MODULE WALL FRAME
1168/64	4-MODULE WALL FRAME



1168/61

1168/62

1168/63

1168/64

WALL FLUSH-MOUNTING FRAMES AND WALL FRAMES TOTAL BLACK

1168/61BLK	1-MODULE WALL FRAME, TOTAL BLACK
1168/62BLK	2-MODULE WALL FRAME, TOTAL BLACK
1168/63BLK	3-MODULE WALL FRAME, TOTAL BLACK
1168/64BLK	4-MODULE WALL FRAME, TOTAL BLACK



1168/61BLK

1168/62BLK

1168/63BLK

1168/64BLK

REFERENCES

HOUSINGS WITH WALL FRAME FOR SURFACE WALL MOUNTING

1168/311	1-MODULE HOUSING WITH WALL FRAME
1168/312	2-MODULE HOUSING WITH WALL FRAME
1168/313	3-MODULE HOUSING WITH WALL FRAME
1168/314	4-MODULE HOUSING WITH WALL FRAME



1168/311 1168/312 1168/313 1168/314

HOUSINGS WITH WALL FRAME FOR SURFACE WALL MOUNTING TOTAL BLACK

1168/311BLK	1-MODULE HOUSING WITH WALL FRAME, TOTAL BLACK
1168/312BLK	2-MODULE HOUSING WITH WALL FRAME, TOTAL BLACK
1168/313BLK	3-MODULE HOUSING WITH WALL FRAME, TOTAL BLACK
1168/314BLK	4-MODULE HOUSING WITH WALL FRAME, TOTAL BLACK



1168/311BLK 1168/312BLK 1168/313BLK 1168/314BLK

FLUSH-MOUNTING BOXES


1145/51	1-MODULE FLUSH-MOUNTING BOX
1145/52	2-MODULE FLUSH-MOUNTING BOX
1145/53	3-MODULE FLUSH-MOUNTING BOX
1145/54	4-MODULE FLUSH-MOUNTING BOX



1145/51 1145/52 1145/53 1145/54

FLUSH-MOUNTING FRAMES

1168/611	1-MODULE 1-ROW FRAME
1168/612	2-MODULE 1-ROW FRAME
1168/613	3-MODULE 1-ROW FRAME
1168/614	4-MODULE 1-ROW FRAME
1168/624	4-MODULE 2-ROW FRAME
1168/626	6-MODULE 2-ROW FRAME
1168/639	9-MODULE 3-ROW FRAME



1168/611 1168/612 1168/613 1168/614

REFERENCES

2VOICE SYSTEM BASE KIT

1183/622	2VOICE AUDIO SYSTEM BASE KIT Consisting of 1083/38T external audio unit, 1083/23 power unit and 2 Miro 1183/5 intercoms. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/723	2VOICE AUDIO DIGITAL SYSTEM BASE KIT Consisting of 1083/38T external audio unit, 1168/1 display module, 1168/46 numeric keypad module and 1083/20A power unit. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/724	2VOICE AUDIO/VIDEO SYSTEM BASE KIT Consisting of 1083/48T external audio/video unit and 1083/23 power unit. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/733	2VOICE VIDEO SYSTEM BASE KIT WITH KEYPAD AND DISPLAY Consisting of 1083/48T external audio/video unit, 1168/1 digital directory display module, 1168/46 keypad module and 1083/20A power unit. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/733G	2VOICE VIDEO SYSTEM BASE KIT WITH KEYPAD AND DISPLAY Consisting of 1083/48T external audio/video unit, 1168/1G digital directory display module, 1168/46 keypad module and 1083/20A power unit. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/748	2VOICE AUDIO COLUMN KIT Consisting of 1083/38T external audio unit and 1083/50 column distributor. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/758	2VOICE VIDEO COLUMN KIT Consisting of 1083/48T external audio/video unit and 1083/50 column distributor. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/824	2VOICE AUDIO/VIDEO SYSTEM BASE KIT WITH CALLME MULTI-USER Consisting of 1083/48T external audio/video unit, 1083/23 power unit, 1083/55 4-user video distributor and 1083/83 CallMe multi-user call forwarding device. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/833	2VOICE AUDIO/VIDEO SYSTEM BASE KIT WITH CALLME MULTI-USER, KEYPAD AND DISPLAY Consisting of 1083/48T external audio/video unit, 1168/1 digital directory display module, 1168/46 keypad module, 1083/20A power unit, 1083/55 4-user video distributor and 1083/83 CallMe multi-user call forwarding device. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1783/858	2VOICE VIDEO COLUMN KIT WITH CALLME MULTI-USER Consisting of 1083/48T external audio/video unit, 1083/50 column distributor, 1083/55 4-user video distributor and 1083/83 CallMe multi-user call forwarding device. To be completed with front panel featuring 0-1-2 buttons for the external unit. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.

IPERCOM SYSTEM BASE KIT

1060/643	EXPANDABLE VIDEO KIT WITH ALPHA ENTRY PANEL AND VOG7 VIDEO DOORPHONE, IPERCOM SYSTEM Consisting of 1761/31U VOG7 7" touchscreen video doorphone, 1060/48T external audio/video unit, 1168/141 front plate with 1 button, 1168/61 1-module wall frame, 1145/51 1-module flush-mounting box and 3000/401 2 + 4 ports PoE switch. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.
1060/644	EXPANDABLE VIDEO KIT WITH ALPHA ENTRY PANEL AND 1741 BASIC VIDEO DOORPHONE, IPERCOM SYSTEM Consisting of 1741/1 1741 BASIC 7" touchscreen video doorphone, 1060/48T external audio/video unit, 1168/141 front plate with 1 button, 1168/61 1-module wall frame, 1145/51 1-module flush-mounting box and 3000/401 2 + 4 ports PoE switch. Expandable with additional modules and accessories, flush-mounting boxes and wall frames.

All Urmet products bear the  mark

Urmet S.p.A. reserves the right to make changes to its products at any time without prior notice.

2Voice and IPerCom are trademarks of Urmet S.p.A.



URMET S.p.A.

Via Bologna, 188/C • 10154 Torino - ITALY

urmet.com • info@urmet.com • follow us on



urmet